WOLFF RUN SUBDIVISION

Located in:

the Southeast 1/4 of Section 36, Township 37 South, Range 2 West, W.M., City of Medford, Jackson County, Oregon

*** DECLARATION *** KNOW ALL MEN BY THESE PRESENTS, THAT WE, LOUIS M. WOLFF, BETTY JEAN WOLFF, JAMES B. KELL, EVA A. KELL, RONALD B. ATKINS AND JUANITA ATKINS ARE THE OWNERS IN FEE SIMPLE OF THE LANDS HEREON DESCRIBED, AND THAT WE HAVE SUBDIVIDED THE SAME INTO LOTS AS SHOWN HEREON, AND THE NUMBER OF EACH LOT AND THE COURSE AND LENGTH OF ALL LINES ARE PLAINLY SET FORTH, AND THIS PLAT IS A CORRECT REPRESENTATION OF THE SUBDIVISION. AND WE HEREBY DEDICATE TO THE PUBLIC FOR PUBLIC USE THOSE EASEMENTS LABELED AS PUBLIC UTILITY EASEMENTS. WE HEREBY CREATE FOR THE BENEFIT OF THE OWNERS, THEIR HEIRS AND ASSIGNS OF THAT TRACT DESCRIBED IN VOL-UME 545, PAGE 63 OF THE DEED RECORDS OF JACKSON COUNTY, LOTS 1, 2, 6, 10, 11, 13, 14, 15, 16, 18 AND 19, PRIVATE STORM DRAIN EASEMENTS OVER LOTS 10, 11, 12, 13, 16, 17 AND 18. WE HEREBY CREATE FOR THE BENEFIT OF THE OWNERS, THEIR HEIRS AND ASSIGNS OF LOT 6, A PRIVATE SANITARY SEWER EASEMENT OVER LOT 4. WE HEREBY GRANT TO THE CITY OF MEDFORD IN FEE SIMPLE THAT AREA DESIGNATED AS A 1-FOOT STREET PLUG. BY ITS APPROVAL OF THIS PLAT, THE CITY OF MEDFORD DECLARES THAT UPON DEDICATION OF THE EXTENSION OF THE AFFECTED STREET, IT WILL DEDICATE THE STREET PLUG FOR PUBLIC STREET PURPOSES. WE HEREBY DESIGNATE SAID SUBDIVISION AS WOLFF STATE OF OREGON) COUNTY OF JACKSON) SS THE FOREGOING INSTRUMENT WAS ACKNOWLEDGED BEFORE ME THIS 14 DAY OF JULY BY LOUIS M. WOLFF, KNOWN TO ME AS THE PERSON WHO EXECUTED THE WITHIN INSTRUMENT AS HIS VOLUNTARY ACT AND WITNESS MY HAND AND OFFICIAL SEAL. OFFICIAL SEAL MONICA Y. WEBER NOTARY PUBLIC-OREGON COMMISSION NO. 303803 MY COMMISSION EXPINES AUGUST 12, 2001 STATE OF OREGON) COUNTY OF JACKSON) SS LOUIS M. WOLFF. ATTORNERY-IN-FACT THE FOREGOING INSTRUMENT WAS ACKNOWLEDGED BEFORE ME THIS 14 DAY OF JULY , 1999, BY LOUIS M. WOLFF, KNOWN TO ME TO BE THE PERSON WHOSE NAME IS SUBSCRIBED TO THE WITHIN INSTRUMENT AS THE ATTORNEY-IN-FACT FOR BETTY JEAN WOLFF, WHO EXECUTED THE WITHIN INSTRUMENT AS HIS VOLUNTARY ACT AND DEED. WITNESS MY HAND AND OFFICIAL SEAL. RECEIVED * OFFICIAL SEAL MONICA Y. WEBER NOTARY PUBLIC-OREGON 8-5-99 b COMMISSION NO. 303803 MY COMMISSION EXPIRES AUGUST 12, 2001 This survey Consists of: _____sheet(s) Map _ page(s) Narrative JACKSON COUNTY SURVEYOR STATE OF OREGON) COUNTY OF JACKSON) SS TERI D HIGINBOTHAM WITNESS MY HAND AND OFFICIAL SEAL. MY COMMISSION EXPINES NOV. 8, 2001 I certify this plat to be an

NOTARY PUBLIC - OREGON

NOTARY

NOTARY

NOTARY

NOTARY

NOTARY

NOTARY

NOTARY

NOTARY PUBLIC - OREGON

COMMISSION NO. 306720

NY COMMISSION EXPIRES NOV. 8, 2001

NOTARY

NOT

THE FOREGOING INSTRUMENT WAS ACKNOWLEDGED BEFORE ME THIS 144 DAY OF 1999,
BY EVA A. KELL, KNOWN TO ME AS THE PERSON WHO EXECUTED THE WITHIN INSTRUMENT AS HER VOLUNTARY ACT AND DEED.

WITNESS MY HAND AND OFFICIAL SEAL

Jei 5 Higubo Ham

378 2W 36 4200, 4300 & 4400

CFRICIAL SEAL
TERI D HIGH BOTH AM
NOTARY PUBLIC - US 1808
COMMISSION NO 306720
MY COMMISSION EFFRES ROV. 9, 2861

exact photocopy of the original.

David M. Munnec:

SURVEYOR

PROFESSIONAL LAND SURVEYOR

David M. Munnaci

OREGON
JULY 24, 1988

DAVID M. MINNECI
2340

EXPIRES 12/31/00

STATE OF OREGON)
COUNTY OF JACKSON) SS

I, DAVID M. MINNECI, A DULY REGISTERED PROFESSIONAL LAND SURVEYOR OF THE STATE OF OREGON, DO HERE-BY CERTIFY THAT I HAVE CORRECTLY SURVEYED AND MARKED WITH THE PROPER MONUMENTS AS PROVIDED BY LAW THE TRACT OF LAND HEREON SHOWN AND THE PLAT IS A CORRECT REPRESENTATION OF THE SAME, AND THE FOLLOWING IS AN ACCURATE DESCRIPTION OF THE BOUNDARY LINES:

* * * SURVEYOR'S CERTIFICATE * * *

COMMENCING AT THE SOUTHWEST CORNER OF KINGS MEADOW SUBDIVISION LOCATED IN THE SOUTHEAST ONE—QUARTER OF SECTION 36 IN TOWNSHIP 37 SOUTH, RANGE 2 WEST OF THE WILLAMETTE MERIDIAN, JACKSON COUNTY, OREGON, ACCORDING TO THE OFFICIAL PLAT THEREOF, NOW OF RECORD, SAID POINT BEING ON THE NORTHERLY RIGHT—OF—WAY LINE OF MARSHALL AVENUE; THENCE SOUTH 89°57'59" WEST, ALONG SAID NORTHERLY LINE, 88.00 FEET TO A BRASS DISC IN CONCRETE MARKING THE INITIAL POINT OF BEGINNING OF WOLFF RUN SUBDIVISION; THENCE, CONTINUE SOUTH 89°57'59" WEST 312.00 FEET; THENCE, LEAVING SAID NORTHERLY LINE, NORTH 00°07'33" EAST 426.46 FEET TO THE SOUTHERLY BOUNDARY OF WILKSHIRE VILLAGE SUBDIVISION; THENCE, ALONG SAID SOUTHERLY BOUNDARY OF SAID SUBDIVISION, NORTH 00°07'00" EAST 2.48 FEET; THENCE, LEAVING SAID EASTERLY BOUNDARY, NORTH 89°42'33" EAST 155.20 FEET TO THE NORTHWEST CORNER OF THE AFORESAID KINGS MEADOW SUBDIVISION; THENCE, ALONG THE WEST—ERLY BOUNDARY OF SAID SUBDIVISION, SOUTH 00°07'00" WEST 319.21 FEET TO THE NORTHEAST CORNER OF THAT TRACT DESCRIBED IN VOLUME 545, PAGE 63 OF THE DEED RECORDS OF SAID JACKSON COUNTY; THENCE, ALONG THE NORTH—ERLY LINE OF SAID TRACT, SOUTH 89°57'59" WEST 88.00 FEET TO THE NORTHWEST CORNER THEREOF; THENCE, ALONG THE WESTERLY LINE OF SAID TRACT, SOUTH 89°57'59" WEST 88.00 FEET TO THE NORTHWEST CORNER THEREOF; THENCE, ALONG THE WESTERLY LINE OF SAID TRACT, SOUTH 89°57'59" WEST 88.00 FEET TO THE NORTHWEST CORNER THEREOF; THENCE, ALONG THE WESTERLY LINE OF SAID TRACT, SOUTH 00°07'03" WEST 110.00 FEET TO THE INITIAL POINT OF BEGINNING;

erly line of said tract, south 89° 57'59" v	DEED RECORDS OF SAID JACKSON COUNTY; THENCE, ALONG THE NORTH- VEST 88.00 FEET TO THE NORTHWEST CORNER THEREOF; THENCE, ALONG 20733" WEST 110.00 FEET TO THE INITIAL POINT OF BEGINNING;
	David M. Minneer SURVEYOR
IN WITNESS HEREOF, SIGNED THIS THE 15	DAY OF July 1999.
STATE OF OREGON)	Tomal & bodies
COUNTY OF JACKSON) SS	RONALD B. ATKINS
THE FOREGOING INSTRUMENT WAS ACKNOWLEDGE By Ronald B. Atkins known to me as the I and Deed.	D BEFORE ME THIS 15th DAY OF JALY , 1999, PERSON WHO EXECUTED THE WITHIN INSTRUMENT AS HIS VOLUNTARY ACT
WITNESS MY HAND AND OFFICIAL SEAL.	OFFICIAL SEAL
Juliel Cens	JULIE A. CERRO NOTARY PUBLIC-OREGON COMMISSION NO. 313444
NOTARY	MY COMMISSION EXPIRES JUNE 14, 2002
IN WITNESS HEREOF, SIGNED THIS THE 15th	DAY OF July , 1999.
STATE OF OREGON)	
COUNTY OF JACKSON) SS	HIANITA ATVINE
oboliti di unokudik) da	JUANIA AIRINS
THE FOREGOING INSTRUMENT WAS ACKNOWLEDGE BY JUANITA ATKINS, KNOWN TO ME AS THE PER DEED.	D BEFORE ME THIS 15th DAY OF TUCH, 1999, SON WHO EXECUTED THE WITHIN INSTRUMENT AS HIS VOLUNTARY ACT AND
WITNESS MY HAND AND OFFICIAL SEAL.	
THE THE TIME AND STRUCTURE STATE.	OFFICIAL SEAL
Julia Cens	JULIE A. CERRO NOTARY PUBLIC-ORIGON
NOTARY	COMMISSION NO. 313464 () MY COMMISSION EXPIRES JUNE 14, 2002 ()

KEY BANK NATIONAL ASSOCIATION, THE UNDERSIGNED BENEFICIARY OF A CERTAIN TRUST DEED DATED NOVEMBER 20, 1998 AND RECORDED NOVEMBER 25, 1998 AS DOCUMENT NO. 98-55006, OFFICIAL RECORDS OF JACKSON COUNTY, ORE-GON, AFFECTING THE LAND DESCRIBED HEREIN, HEREBY RELEASES FROM THE LIEN OF SAID TRUST DEED ALL PROPERTY SHOWN HEREON AS DEDICATED TO THE PUBLIC FOR PUBLIC USE.

IN WITNESS HEREOF, SIGNED THIS 14 DAY OF JULY

 $\left.\begin{array}{c} \text{STATE OF } \bigcirc \bigcirc \bigcirc \bigcirc \bigcirc \bigcirc \bigcirc \bigcirc \bigcirc \\ \text{COUNTY OF } \bigcirc \bigcirc \bigcirc \bigcirc \bigcirc \bigcirc \bigcirc \bigcirc \\ \end{array}\right\} \text{SS}$

AUTHORIZED REPRESENTATIVE
KEY BANK NATIONAL ASSOCIATION
USTOMOR Society Manager
TITLE

THE FOREGOING INSTRUMENT WAS ACKNOWLEDGED BEFORE ME THIS 14 DAY OF JULY , 1999, BY MENICAL Y WEBV., KNOWN TO ME AS THE PERSON WHO EXECUTED THE WITHIN INSTRUMENT ON BEHALF OF KEY BANK NATIONAL ASSOCIATION.

WITHESS MY HAND AND OFFICIAL SEAL.

Panela Straubl



SHEET 1 OF 3

SURVEY NARRATIVE TO COMPLY WITH PARAGRAPH 209.250 OREGON REVISED STATUTES

Survey for:

Louis & Betty Wolff 820 Marshall Ave.

J.B. & Eva Kell 1330 Hillcourt Medford, Oregon Ron & Juanita Atkins 4655 Torrey Pines Dr. Medford, Oregon

Medford, Oregon 97501

97504

97504

Location:

The Southeast One-quarter (1/4) of Section 36, Township 37 South, Range 2 West, Willamette Meridian, City of Medford, Jack-

son County, Oregon.

Purpose:

To survey, monument and record a Subdivision Plat (City of Medford Planning File No. LDS 98-66) for WOLFF RUN SUBDIVI-

SION.

Procedure:

Using previously established control, descriptions from Volumes 241, page 289, 234, page 447 and 244, page 61, and found monumentation from Surveys No. 1008, 13667, 15372 and 15587, I set monuments as shown on the accompanying Subdivision Plat.

Basis of Bearing:

The West line of KINGS MEADOW SUBDIVISION per Survey No.

15587.

Date:

May 7, 1999

* RECEIVED * Date 8-5-99 By &

This survey Consists of:

 \perp page(s) Narrative

> JACKSON COUNTY SURVEYOR

REGISTERED PROFESSIONAL LAND SURVEYOR

Davidm. Minnec DAVID M. //JINNECI 2349

> David M. Minneci L.S. 2349 - Oregon Expires 12/31/00 1062 E. Jackson Street Medford, Oregon 97504

WOLFF RUN SUBDIVISION Located in: the Southeast 1/4 of Section 36, Township 37 South, Range 2 West, W.M., City of Medford, Jackson County, Oregon LOT SIZE FD. BRASS DISC STAMPED "LS 1913" IN CONCRETE AT CENTERLINE ASPEN ST. 7,920 7,956 5,544 6,180 5,750 12,070 S/N 13667 WILKSHIRE VILLAGE 5,000 5,000 4,979 Driv 4,639 4,401 7,334 7,333 7,333 6,330 6,318 20 N00°07'33"E 2.48 N89°42'33"E 155.20' 6,307 6,182 8,044 8,827 S89*55'58"E 244.80 CURVE TABLE 50.00' 50.00 50.00' 79.80' 25'/ 25' 70.20' 44.80' CURVE DELTA RADIUS LENGTH CHORD BEARING 1 14°21'41" 200.00' 50.13' 50.00' N82°51'11"W 2 09°17'18" 200.00' 27.96' 27.93' S85°25'37"E 3 05°06'39" 172.50' 15.39' 15.38' S78°13'38"E Britt (DESTROYED BY CONSTRUCTION) 3 05'06'39" 172.50" 15.39" 15.38" \$78"13'38" E 4 07"40'12" 227.50" 30.45" 30.43" \$79"30'26" E 5 06"41'29" 227.50" 26.57" 26.55" \$86"41'16" E 6 07"06'44" 172.50" 21.41" 21.40" N86"28'39" W 7 07"14'58" 172.50" 21.83" 21.81" \$79"17'49" E 8 07"50'26" 227.50" 31.13" 31.11" \$79"35'32" E 9 83"24'40" 20.00" 29.12" 26.61" \$41"48'25" E 10 90"04'04" 20.00" 31.44" 28.30" \$44"55'57" W 9 60.22 _10' PUE 50.00 50.00' 50.00' GEODETIC TIE 105.35' U.S. COAST & GEODETIC SURVEY I certify this plat to be an REFERENCE MARK "DIAMOND" - 1983 122.19 REFERENCE MARK NO. 1 - FD. 3 3/4" BRASS DISC IN CONCRETE EXPOSED 3" exact photocopy of the original. FD. BRASS DISC STAMPED "LS 2349" S89*57'59"W 120.08 1' STREET PLUG Halvorsen Davil M. Minney Street IN MONUMENT CASE PER S/N 15587 50.00' 50.00' 22.15^Y MEVDOM ~10' PUE <u>53.3</u>4' 53.33' 53.33' 10' PUE 8 1.) UNABLE TO DETERMINE SIZE AND EXACT LOCATION OF RIGHT-OF-WAY OF LATERALS FOR IRRIGATION PER VOLUME 240, PAGE 92 AND VOLUME 244, PAGE 614. FD. 5/8" IRON PIN PER S/N 1008 HOFFBUHR & ASSOCIATES, INC. 1062 E. JACKSON MEDFORD, OREGON (541) 779-4641 2.) RESTRICTIONS ON THIS PROPERTY SET OUT IN VOLUME 234, PAGE 447 AND VOLUME 244, MAY 7, 1999 PAGE 614, ARE EXTINGUISHED UPON RECORDING 50.00' 50.00' 50.00' OF FINAL PLAT. 45.00' 🔑 | — 45.00' S89°57'59"W 150.00' S89*57'59"W 90.00' 3.) LOTS 4, 19 AND 20 ARE DESIGNATED AS SET 5/8" x 24" IRON PIN WITH PLASTIC CAP STAMPED "D. MINNECI LS 2349". DUPLEX LOTS. S89'57'59"W 33.00' SET 5/8" x 30" IRON PIN WITH PLASTIC CAP STAMPED "D. MINNECI LS 2349". 4.) TEMPORARY EASEMENTS PER DOCUMENTS NO. S89°57'59"W 97-28105, 97-28106 & 99-13807, OFFICIAL **—** 53.33' **–** S00°07'33"E SET BRASS CAP STAMPED "LS 2349" TINGUISHED UPON FILING OF THIS PLAT. 10.00' S/N 1008 72.00' 88.00 IN MONUMENT CASE S89'57'59"W S89*57'59"W \$89*57'59"W 97.00' SET BRASS CAP STAMPED "INITIAL POINT LS 2349" IN 6" X 6" X 24" CONCRETE 35.65 EXISTING FENCELINE 65.00 S89°43'55"W FD. 5/8" IRON PIN WITH PLASTIC CAP STAMPED 34.22' REGISTERED "D. MINNECI LS 2349" PER S/N 15372 S00°16'05"E PROFESSIONAL **6** LAND CHRYEYOR 19.05' 8 5' PUE FD. 5/8" IRON PIN WITH PLASTIC CAP STAMPED "D. MINNECI LS 2349" PER S/N 15587. Davidm. Minneci FD. 5/8" IRON PIN WITH PLASTIC CAP STAMPED "D. MCMAHAN LS 1913" PER S/N 13667. S26°28'15"E 22.34' FD. 5/8" IRON FOUND MONUMENT AS NOTED. S25*28'15"W PIN 6" DEEP 23.36'~ _10' PUE DAVID M. MINNEQ PER S/N 1008 (S00°07'33" W 0.20') 30.00' S89*57'59"W FOUND BRASS CAP MONUMENT AS NOTED 55.00 65.00 30.00 60.00' 72.00' 88.00 SURVEY NUMBER **EXPIRES** 12\31\00 S89°57'59"W 312.00' S00"07'33"E EASEMENT FOR PRIVATE STORM DRAIN 30.00 S89*57'59"W 451.87 EASEMENT FOR PRIVATE SANITARY SEWER FD. 3/4" IRON Marshall EASEMENT FOR PUBLIC UTILITIES, STORM DRAINAGE, Avenue PUE PIN 2" DEEP GAS, WATER, ELECTRIC, CABLE TELEVISION AND SANITARY SEWER CONSTRUCTION AND MAINTENANCE. (1" IRON PIN PER S/N 5569) 37S 2W 36 4200, 4300 & 4400 SHEET 3 OF 3

WOLFF RUN SUBDIVISION

Located in:

the Southeast 1/4 of Section 36, Township 37 South, Range 2 West, W.M. City of Medford, Jackson County, Oregon

ROBERT C. PIERCE DAY OF
SEAL WEBER C-OREGON IO. 303803 JGUST 12, 2001
Marila L. Vierce
MARTHA L. PIERCE
DAY OF OLUMENT AS HER VOLUNTARY
EAL EBER OREGON . 303803 UST 12, 2001
IGNED BENEFICIARY OF A CERTAIN TRUST DEED NO. 94-29796, OFFICIAL RECORDS OF JACKSON LEASES FROM THE LIEN OF SAID TRUST DEED LIC USE.
AUTHORIZED REPRESENTATIVE
EN FEDERAL SAVINGS AND LOAN ASSOCIATION
istant Vice-President
DAY OF JULY, 1999, WHO EXECUTED THE WITHIN INSTRUMENT ON
4

	inty, Oregon	
	* * * APPROVAL	.s * * *
	MEDFORD CITY PLANNING:	
ı	I CERTIFY THAT, PURSUANT TO AUTHORITY GRANTED IN ORDINA	\$
	amis Miambal	JULY 30, 1999
	PLANNING DIRECTOR	DATE
Ε	EXAMINED AND APPROVED THIS	, 1999.
	Kobert Danel	Garl Dotaria
	CITY ENGINEER	CITY SURVEYOR
	EXAMINED AND APPROVED AS REGUIRED BY O.R.S. 92.100 TH	US David DAY OF Query
	EXAMINED AND AFFROYED AS REGUIRED BY U.R.S. 92.100 IF	This want of the first the T
		CANO C. CILLA, I
		ASSESSOR, DEPARTMENT OF ASSES
A	ALL TAXES, FEES, ASSESSMENTS OR OTHER CHARGES AS RE	QUIRED BY O.R.S 92.095 HAVE BEEN PAID AS
_	2 DAY OF AUGUST , 1999.	Wenn Hauch Wen
		TAX COLLECTOR
		,
		·

this plat to be an py of the original. m. Minici SURVEYOR

FILED FOR RECORD THIS 5 DAY OF 4 6 6 6 6 DAY OF 6 D

37\$ 2W 36 4200, 4300 & 4400

Kathleen S. Benkett Cherry Augeris
COUNTY CLERK DEPUTY

REGISTERED PROFESSIONAL LAND SURVEYOR David M. Minneci

OREGON
JULY 26, 1988
DAVID M. MINNED
2349

Expires 12/31/00

SHEET 2 OF 3