

OWNER

WAL-MART REAL ESTATE BUSINESS TRUST  
P.O. BOX 8050  
BENTONVILLE, AR. 72712

PARTITION PLAT No. P-23-2013

LAND PARTITION

LOCATED IN

PARCEL NO. 3 OF PARTITION PLAT NO. P-51-1997 AND PARCELS NO. 1 AND NO. 2 OF PARTITION PLAT NO. P-33-1999 IN THE EAST HALF OF SECTION 31 AND THE WEST HALF OF SECTION 32, TOWNSHIP 37 SOUTH, RANGE 1 WEST, WILLAMETTE MERIDIAN, IN THE CITY OF MEDFORD, JACKSON COUNTY, OREGON

For:  
WAL-MART REAL ESTATE BUSINESS TRUST

APPROVAL:

James E. Heber 7/12/13  
MEDFORD PLANNING DEPARTMENT DATE  
PA # LDP - 11-00137

Examined and Approved this 26 day of JUNE, 2013.


[Signature]  
City Surveyor

DECLARATION

KNOW ALL MEN BY THESE PRESENTS THAT WAL-MART REAL ESTATE TRUST, A DELAWARE STATUTORY TRUST, AND WAL-MART STORES, INC., A DELAWARE CORPORATION, ARE THE OWNERS OF THE REAL PROPERTY REPRESENTED ON THIS PARTITION PLAT AND MORE PARTICULARLY DESCRIBED IN THE SURVEYOR'S CERTIFICATE AND HAS CAUSED THE SAME TO BE PARTITIONED AS SHOWN HEREON. WE HEREBY MAKE AND CREATE A PRIVATE CROSS-ACCESS EASEMENT OVER AND ACROSS PARCEL 1 AND PARCEL 2 FOR THE BENEFIT OF THE OWNERS, THEIR HEIRS AND ASSIGNS OF PARCEL 1 AND PARCEL 2 AND DO ALSO HEREBY CREATE A 10.00 FOOT WIDE PRIVATE STORM DRAIN EASEMENT OVER AND ACROSS PARCEL 2, AS SHOWN HEREON, FOR THE BENEFIT OF THE OWNERS, THEIR HEIRS AND ASSIGNS OF PARCEL 1. THESE EASEMENTS ARE PRIVATE IN NATURE AND ARE NOT DEDICATIONS TO THE PUBLIC. NOTHING CONTAINED HEREIN SHALL BE USED OR CONSTRUED AS A GRANT OF ANY RIGHTS TO ANY PUBLIC OR GOVERNMENTAL AUTHORITY OR AGENCY. ADDITIONALLY, OWNERS OF PARCEL 1 AND PARCEL 2 MAY CONSTRUCT AND IMPROVE THE EASEMENT AREAS AS LONG AS IT IS NOT UNREASONABLY AFFECTING THE USE OF THE EASEMENTS.

AFFIDAVIT OF CONSENT FOR LAND PARTITION BY WAL-MART REAL ESTATE BUSINESS TRUST, A DELAWARE STATUTORY TRUST, RECORDED AS DOCUMENT NO. 2013 -019738, OF THE OFFICIAL RECORDS OF JACKSON COUNTY, OREGON.

AFFIDAVIT OF CONSENT FOR LAND PARTITION BY WAL-MART STORES INC., A DELAWARE CORPORATION, RECORDED AS DOCUMENT NO. 2013 - 019738, OF THE OFFICIAL RECORDS OF JACKSON COUNTY, OREGON.



RECORDING

FILED FOR RECORD THIS THE 7<sup>th</sup> DAY OF August, 2013  
AT 3:33 O'CLOCK P.M. AND RECORDED AS PARTITION PLAT NO. P-23-2013 OF THE RECORDS PARTITION PLATS OF JACKSON COUNTY, OREGON. INDEX VOLUME 24, PAGE 23.

Christine D. Walker COUNTY CLERK Jean Shingle DEPUTY

COUNTY SURVEYOR FILE NO. 21308

ALL TAXES, FEES, ASSESSMENTS OR OTHER CHARGES AS REQUIRED BY O.R.S. 92-095 HAVE BEEN PAID AS OF 8/7/13

[Signature] ASSESSOR 8/7/13 DATE  
Patty Budrine DEPUTY 8-7-13 DATE  
TAX COLLECTOR

SURVEY NARRATIVE TO COMPLY WITH PARAGRAPH 209.250 OREGON REVISED STATUTES

Purpose: To survey and monument a land partition as approved by the City of Medford Planning Department (file No. LDP-11-137) and to monument a previous property line adjustment (City file No. PLA-08-066) per recorded adjustment deeds Instrument No. 2008-029898 and No. 2008-029897

Procedure: The property that is being partitioned is located within property that has been previously surveyed and monumented per filed surveys No. 15442 and 16180. Recent construction activity has destroyed most of the boundary monuments from those surveys. Prior to the construction, a control traverse was run around the subject property, tying found monuments from those surveys, which were held to control this survey. The Highway 99 right-of-way has been changed due to right-of-way dedications as described in Instruments No. 2006-21543 and 2006-21544. Monuments as Placed by Oregon Department of Transportation (O.D.O.T.) were located along the new right-of-way and were accepted to control the right-of-way location. The Center Drive right-of-way has been adjusted due to several right-of-way dedications, as shown, and per a vacated portion of the Center Drive. O.D.O.T. has described a centerline per Instrument No. 2005-053916 which is different from the platted and dedicated location of Center Drive. Monuments as set by O.D.O.T. (see Survey No. 21255) to reference the new Realigned Center Drive were tied and held to control the portion of the southeasterly partition boundary as described as Tract "C" of Instrument No. 2009-002336.

Equipment used - Trimble S6 Robotic Instrument

SURVEYORS CERTIFICATE:

I, Darrell L. Huck, a duly Registered Surveyor of the State of Oregon, do hereby certify that this map correctly represents a survey made by me or under my direction and complies with the regulations for land partitions and the following is an accurate description of the parent tract of land as set forth hereon:

Commencing at the most-westerly corner of Parcel No. 2 of Partition Plat recorded June 18, 1999 as Partition Plat No. P-33-1999 of "Record of Partition Plats" in Jackson County, Oregon and filed as Survey No. 16180 in the Office of the Jackson County Surveyor; thence North 54°53'34" East (Record North 54°52'04" East) along the Northerly boundary of said Parcel No. 2, a distance of 6.36 feet to the Northerly boundary of tract described per Instrument No. 2006-21543 of the Deed Records of said Jackson County for the POINT OF BEGINNING; thence continue North 54°53'34" East (Record North 54°52'04" East) along said Northerly boundary 349.68 feet; thence continue along said boundary North 89°48'21" East (Record North 89°46'51" East) 80.95 feet; thence leaving said boundary North 54°56'27" East 18.63 feet; thence South 35°03'33" East 12.98 feet to the aforementioned Northerly boundary of Parcel 2; thence North 89°48'21" East (Record North 89°46'51" East) 74.04 feet along said boundary; thence leaving said boundary, North 54°56'27" East 126.46 feet; thence South 35°03'33" East 84.57 feet to the westerly boundary of Parcel No. 3 of Partition Plat recorded July 23, 1997 as Partition Plat No. P-51-1997 of "Record of Partition Plats" in said Jackson County and filed as Survey No. 15442 in the Office of the Jackson County Surveyor; thence North 00°11'45" West (Record North 00°13'15" West) along the westerly boundary of said Parcel , a distance of 227.06 feet to the Southwest corner of tract described per Instrument No. 2005-05899, said Deed Records; thence North 54°56'27" East along the Southeastly boundary of said tract 220.75 feet; thence continue along said boundary, North 89°48'32" East 36.86 feet to the Easterly boundary of the aforementioned Parcel No. 3 of Partition Plat No. P-51-1997; thence along the arc of a 419.87 foot radius curve to the right (the long chord to which bears South 23°29'21" East 331.56 feet) an arc distance of 340.84 feet; thence continue along said boundary South 00°14'02" East (Record South 00°15'32" East) 51.61 feet to the Northeast corner of Parcel No. 2 of said Partition Plat No. P-51-1997; thence continue South 00°14'02" East (Record South 00°15'32" East) along the easterly boundary of said Parcel No. 2 a distance of 55.51 feet to the most northerly corner of tract described as Tract A of Instrument No. 2011-022765, said Deed Records; thence along the westerly boundary of said Tract A, South 43°37'00" West 13.57 feet; thence continue along said westerly boundary, South 00°14'02" East 83.53 feet; thence South 49°26'12" East 12.42 feet to the easterly boundary of Parcel No. 1 of the aforementioned Partition Plat No. P-33-1999; thence along said easterly boundary, South 00°14'02" East (Record South 00°15'32" East) a distance of 41.80 feet to the most northerly corner of tract described as Tract B of the aforementioned Instrument No. 2011-022765; thence along the westerly boundary of said tract, South 05°39'03" West 56.11 feet; thence continue along said westerly boundary, South 00°45'32" East 58.82 feet; thence South 14°12'55" East 21.58 feet to the westerly boundary of tract described per Instrument No. 2011-022766, said Deed Records; thence along said westerly boundary, South 14°12'55" East 34.69 feet; thence continue along said westerly boundary, South 28°36'09" East 51.08 feet; thence continuing along said boundary, South 33°15'30" East 60.16 feet to the northerly line of that portion of the vacated Center Drive as described in Instrument No. 2009-002336, said Deed Record; thence along said northerly line, along the arc of a 619.47 foot radius non-tangent curve to the left (the long chord to which bears South 29°07'48" East 50.83 feet) a distance of 50.85 feet; to the easterly right-of-way line of said vacated Center Drive; thence along said easterly right-of-way, North 00°14'02" West 3.92 feet to the westerly right-of-way line of the Realigned Center Drive as described in Tract "C" of Instrument No. 2009-002336, said Deed Records; thence along said right-of-way along the arc of a 617.46 foot radius non-tangent curve to the left (the long chord to which bears South 33°23'58" East 47.98 feet) a distance of 47.99 feet; thence South 06°36'40" West 28.34 feet; thence South 55°00'10" West 27.84 feet; thence South 00°14'02" East 54.85 feet; thence South 58°45'25" West 105.01 feet to the most easterly corner of Parcel 1 of the aforementioned Partition Plat No. P-33-1999; thence South 54°56'26" West (Record South 54°54'56" West) along the southeasterly boundary of said Parcel No. 1 and Parcel No. 2 of Partition Plat No. P-33-1999, a distance of 501.13 feet to the most easterly corner of the aforementioned tract described per Instrument No. 2006-21543; thence North 35°03'33" West along the Northeastly boundary of said tract, 118.25 feet; thence North 36°21'03" West 334.73 feet; thence North 35°03'33" West 507.12 feet to the point of beginning.

Darrell L. Huck  
SURVEYOR

REGISTERED PROFESSIONAL LAND SURVEYOR

Darrell L. Huck  
OREGON  
FEBRUARY 4, 1985  
DARRELL L. HUCK  
2023

Expires 6/30/2013


I certify this plat to be an exact copy of the original  
Darrell L. Huck  
SURVEYOR

INDEX OF SHEETS  
SHEET 2 - PARTITION PLAT BOUNDARY  
SHEET 3 - EASEMENT EXHIBITS  
SHEET 4 - EASEMENT EXHIBITS

SHEET ONE OF FOUR SHEETS  
(11105 pt s1.dwg)


PARTITION PLAT No. P-23-2013  
LAND PARTITION

Located in:  
PARCEL NO. 3 OF PARTITION PLAT NO. P-51-1997 AND PARCELS  
NO. 1 AND NO. 2 OF PARTITION PLAT NO. P-33-1999 IN THE  
EAST HALF OF SECTION 31 AND THE WEST HALF OF SECTION 32,  
TOWNSHIP 37 SOUTH, RANGE 1 WEST, WILLAMETTE MERIDIAN,  
IN THE CITY OF MEDFORD, JACKSON COUNTY, OREGON



CENTERLINE OF 10' WIDE  
POWER LINE EASE. PER  
INST. NO. 2012-011374 O.R.  
AND ALSO CENTERLINE OF  
10' WIDE TELECOMMUNICATIONS EASE.  
PER INST. NO. 2012-044234 O.R.

CENTERLINE OF 10' WIDE  
POWER LINE EASE. PER  
INST. NO. 2012-011374 O.R.  
AND ALSO CENTERLINE OF  
10' WIDE TELECOMMUNICATIONS EASE.  
PER INST. NO. 2012-044234 O.R.



CURVE	RADIUS	DELTA	LENGTH	CHORD BEARING	CHORD DISTANCE
C1	414.87	8°14'36"	59.69	N42°20'56"W	59.64
C2	30.00	11°59'39"	6.28	N14°24'48"E	6.27
C3	419.87	5°01'28"	36.81	N34°38'08"W	36.80
C4	30.00	12°01'18"	6.29	N85°06'37"W	6.28
C5	414.87	7°19'24"	53.03	N27°22'55"W	52.99
C6	120.00	18°48'11"	39.38	S89°13'15"W	39.20
C7	30.00	9°06'09"	4.77	N74°04'15"E	4.76
C8	30.00	56°00'03"	29.32	S82°11'57"W	28.17
C9	80.00	24°52'20"	34.73	S41°45'45"W	34.46
C10	96.03	19°10'28"	32.14	S64°32'51"W	31.99
C11	91.14	39°13'58"	62.41	N54°49'21"E	61.20
C12	248.60	19°51'14"	86.14	S45°08'01"W	85.71
C13	16.29	23°19'25"	6.63	N42°27'42"E	6.59
C14	66.00	65°49'31"	75.83	N50°48'13"W	71.72
C15	75.00	17°16'24"	22.61	S26°28'40"E	22.53
C16	10.00	109°14'44"	19.07	S89°39'32"E	16.31
C17	120.00	42°54'09"	89.85	S57°10'19"W	87.77
C18	384.87	15°51'30"	106.52	N40°03'09"W	106.18
C19	419.87	14°37'17"	107.15	N39°28'03"W	106.86
C20	12.00	63°02'12"	13.20	S23°28'41"W	12.55
C21	10.00	9°47'01"	1.71	S30°35'01"E	1.71
C22	120.00	9°29'53"	19.89	N30°17'03"W	19.87
C23	25.00	22°29'22"	9.81	N14°11'01"W	9.75
NOT USED					
C27	50.00	25°24'28"	22.17	N22°21'00"W	21.99

LINE	BEARING	DISTANCE
L1	N74°28'19"E	1.98
L2	S21°19'14"E	11.14
L3	N54°56'27"E	0.74
L4	N49°20'39"W	3.01
L5	N56°50'10"E	33.42
L6	S09°38'54"E	15.13

REGISTERED  
PROFESSIONAL  
LAND SURVEYOR  
*Darrell L. Huck*  
OREGON  
FEBRUARY 4, 1983  
DARRELL L. HUCK  
2023  
Expires 6/30/2013

HOFFBUHR & ASSOCIATES, INC.  
880 GOLF VIEW DRIVE, SUITE 201  
MEDFORD, OREGON 97504  
(541)779-4641

BY: DARRELL L. HUCK PLS No. 2023  
SCALE: NONE April 23, 2013  
BASIS OF BEARING: SURVEY NO. 17618

O.R. = Official Records of Jackson County, Oregon  
PUE = Easement for public utilities, storm drainage, irrigation,  
gas, water, electric, telephone, cable television and sanitary  
sewer, construction and maintenance

RECEIVED  
Date 8/7/13 By *JL*  
This survey consists of:  
4 sheet(s) map  
0 page(s) narrative  
JACKSON COUNTY  
SURVEYOR

I certify this plat to be an  
exact copy of the original  
*Darrell L. Huck*  
SURVEYOR

37 1W 31A TL 4101  
37 1W 32B TL 4706 & 4707

SHEET FOUR OF FOUR SHEETS  
(11105 PT S2 r2.DWG)

PARTITION PLAT No. P-23-2013  
LAND PARTITION

Located In:  
PARCEL NO. 3 OF PARTITION PLAT NO. P-51-1997 AND PARCELS  
NO. 1 AND NO. 2 OF PARTITION PLAT NO. P-33-1999 IN THE  
EAST HALF OF SECTION 31 AND THE WEST HALF OF SECTION 32,  
TOWNSHIP 37 SOUTH, RANGE 1 WEST, WILLAMETTE MERIDIAN,  
IN THE CITY OF MEDFORD, JACKSON COUNTY, OREGON

HOFFBUHR & ASSOCIATES, INC.  
880 GOLF VIEW DRIVE, SUITE 201  
MEDFORD, OREGON 97504  
(541)779-4641


BY: DARRELL L. HUCK PLS No. 2023  
SCALE: 1 inch = 100' April 23, 2013  
BASIS OF BEARING: SURVEY NO. 17618

O.R. = Official Records of Jackson County, Oregon

P.U.E. = Easement for public utilities, storm drainage, irrigation,  
gas, water, electric, telephone, cable television and sanitary  
sewer, construction and maintenance

NOTES

1. P.S.D.E. = Center line of a 10' wide Private Storm Drain Easement to benefit Parcel 1 being created hereon.
2. Pursuant to O.R.S. 92.090(4)(c), no domestic water supply facility will be provided to Parcel 1 at the time of recording this plat, even though a domestic water supply source exists in Center Drive and on the Walmart property.
3. Easements of record in favor of PacifiCorp per: Vol. 149, Page 105; Vol. 274, Page 358; Vol. 274, Page 359; Vol. 373, Page 202; Vol. 477, Page 183 and Vol. 510, Page 71; for transmission and distribution of electricity (not locatable within boundaries of this partition)
4. Limited access restriction as set forth in Vol. 374, Page 210; Vol. 405, Page 158 and Vol. 441, Page 81 (affects Hwy 99 frontage)
5. Slope and drainage easement as described in Vol. 374, Page 210 and Page 211 does not apply to the lands contained in this partition plat.
6. City of Medford waterline easement described in Vol. 401, Page 372 does not apply to the lands contained in this partition plat.
7. Highway slopes and utility easement per Inst. No. 86-12559 does not apply to the lands contained in this partition plat.
8. This property is subject to City Center Revitalization Plan as described in Inst. No. 88-22899
9. Power line easement per Inst. No. 89-17550 does not apply to this partition plat.
10. Public utility easement as described in Inst. No. 94-05963 does not apply to this partition plat.
11. This property is subject to covenants, conditions and restrictions as recorded in Inst. No. 93-10811 and amended per the following Instruments: 93-44290, 94-27332, 95-09665, 99-22559, 00-0250, and 2005-037480. Applies only to those portions of property located within the platted South Gateway Center Subdivision
12. This property is subject to restrictive covenants as recorded in as recorded in Inst. No. 03-30720 and Inst. No. 03-35871. Applies only to those portions of property located within the platted South Gateway Center Subdivision
13. Limited access and Slope and drainage easement as described in Inst. No. 2005-053916 does not apply to the lands contained in this partition plat.
14. Easement agreement as described in Inst. No. 2006-11904 does not apply to this partition plat.
15. Power Line easement as described in Inst. No. 2006-054751 does not apply to this partition plat.



REGISTERED  
PROFESSIONAL  
LAND SURVEYOR

*Darrell L. Huck*


OREGON  
FEBRUARY 4, 1983  
DARRELL L. HUCK  
2023

Expires 6/30/2013

I certify this plat to be an  
exact copy of the original  
*Darrell L. Huck*  
SURVEYOR

37 1W 31A TL 4101  
37 1W 32B TL 4706 & 4707

EXISTING PRIVATE ACCESS ROAD  
AS NOTED ON PARTITION PLAT  
P-33-1999 (SURVEY NO. 16180)





**PARTITION PLAT No. P-23-2013**  
**LAND PARTITION**

Located in:  
**PARCEL NO. 3 OF PARTITION PLAT NO. P-51-1997 AND PARCELS NO. 1 AND NO. 2 OF PARTITION PLAT NO. P-33-1999 IN THE EAST HALF OF SECTION 31 AND WEST HALF OF SECTION 32, TOWNSHIP 37 SOUTH, RANGE 1 WEST, WILLAMETTE MERIDIAN, IN THE CITY OF MEDFORD, JACKSON COUNTY, OREGON**

MONUMENT IS NO LONGER VISIBLE LOCATION WAS COMPUTED FROM CITY OF MEDFORD REFERENCES FIELD BOOK 1885, PAGE 13

- R.P.1 - S87°29'15"E 62.27' (CITY MEAS. - 62.26)
- R.P.2 - S16°03'29"E 62.22' (CITY MEAS. - 62.30)
- R.P.3 - S74°23'10"W 46.65' (CITY MEAS. - 46.67)
- R.P.4 - N08°03'52"W 50.12' (CITY MEAS. - 50.06)

**LINE TABLE**


LINE	BEARING	DISTANCE
L5	N89°46'14"E	43.88'
L6	S89°46'14"W	42.73'
L7	S00°14'20"E	14.77'
L8	N54°57'38"E	57.55'
L9	S29°19'25"W	60.15'
L10	N89°48'32"E	36.86'
L11	S43°37'25"W	13.57'
L12	S00°14'02"E	83.53'
L13	S49°26'12"E	12.42'
L14	S00°14'02"E	41.80'
L15	S05°39'05"W	56.11'
L16	S00°45'32"E	58.82'
L17	S14°12'55"E	21.58'

**LINE TABLE**

LINE	BEARING	DISTANCE
L18	S28°36'09"E	51.08'
L19	S33°15'30"E	60.16'
L20	S06°36'40"W	28.34'
L21	S55°00'10"W	27.84'
L22	S00°14'02"E	54.85'
L23	N54°56'27"E	2.62'
L24	N35°03'33"W	6.56'
L25	N54°56'24"E	3.21'
L26	S35°03'36"E	6.56'
L27	S89°45'58"W	37.16'
L28	S00°14'02"E	7.22'
L29	S14°12'55"E	34.68'
L30	N54°58'40"E	55.57'
L31	S81°04'34"E	13.14'

**CURVE TABLE**

CURVE	RADIUS	DELTA	LENGTH	CHORD BEARING	CHORD DISTANCE
C25	619.47	4°42'11"	50.85	S29°07'48"E	50.83
C26	617.46	4°27'12"	47.99	S33°23'58"E	47.98
C28	419.87	46°30'39"	340.84	S23°29'21"E	331.56
C29	419.87	23°35'03"	172.83	N34°57'10"W	171.61
C30	419.87	22°57'37"	168.01	N11°41'50"W	166.89
C31	30.00	56°00'13"	29.32	S82°11'57"W	28.17
C32	80.00	24°52'25"	34.73	S41°45'38"W	34.46
C33	120.00	18°48'09"	39.38	N69°13'04"E	39.20
C34	30.00	09°06'17"	4.77	N74°05'21"E	4.76
C35	464.87	54°30'32"	442.26	N27°29'18"W	425.77
C36	574.14	55°30'24"	556.21	S27°58'30"E	534.71
C37	90.00	41°07'55"	64.61	N75°29'41"E	63.23
C38	633.19	13°33'58"	149.92	S48°56'57"E	149.58



REGISTERED PROFESSIONAL LAND SURVEYOR

*Darrell L. Huck*  
 OREGON  
 FEBRUARY 4, 1983  
**DARRELL L. HUCK**  
 2023  
 Expires 6/30/2013

**\*\* RECEIVED \*\***  
 Date 9/7/13 By *[Signature]*  
 This survey consists of:  
 4 sheet(s) Map  
 0 page(s) Narrative  
**JACKSON COUNTY SURVEYOR**

I certify this plat to be an exact copy of the original  
*Darrell L. Huck*  
**SURVEYOR**

- HOFFBUHR & ASSOCIATES, INC.  
 880 GOLF VIEW DRIVE, SUITE 201  
 MEDFORD, OREGON 97504  
 (541)779-4641
- BY: **DARRELL L. HUCK** PLS No. 2023  
 SCALE: 1 inch = 100' APRIL 23, 2013  
 BASIS OF BEARING: SURVEY NO. 17618  
 WESTERLY BOUNDARY D.L.C. 46
- = Set 5/8"x24" iron reinforcing pin with plastic cap stamped "D. Huck LS 2023".
  - ⊗ = Set 5/8"x30" iron reinforcing pin with plastic cap stamped "D. Huck LS 2023".
  - = Found brass cap monument per South Gateway Center sUB. (Survey No. 13449) - unless noted otherwise
  - ⊕ = Set Lead plug w/ brass washer stamped L.S. 2023
  - = Found City of Medford RP - .38 caliber shell in curb
  - ⊞ = Found copper plug mkd "ODOT" - per Survey No. 21255
  - △ = Found iron pin w/ Alum Cap mkd. "ODOT RIGHT-OF-WAY" per Survey No. 21255
  - PUE = Easement for public utilities, storm drainage, irrigation, gas, water, electric, telephone, cable television and sanitary sewer, construction and maintenance
  - O.D.O.T. = Oregon Dept. of Transportation
  - O.R. = Official Records of Jackson County, Oregon
  - (.....) = Record data per Partition Plats No. P-33-1999 and P-51-1997

37 1W 31A TL 4101  
 37 1W 32B TL 4706 & 4707

SHEET TWO OF FOUR SHEETS  
 (11105 PT S2 r3 WB.DWG)