



## SURVEY NARRATIVE TO COMPLY WITH PARAGRAPH 209.250 OREGON REVISED STATUTES

**SURVEY FOR:** 

Ron Deluca

2289 Morninglight Drive Ashland, Oregon 97520

LOCATION:

Block 3 of the City of Ashland, located within the Northwest Quarter of Section 9, Township 39 South, Range 1 East, Willamette Meridian, City of Ashland, Jackson County, Oregon.

**PURPOSE:** 

To survey and monument the tracts of land described within Instrument No. 2016-041088 of the Official Record in Jackson County, Oregon.

**PROCEDURE:** 

Utilizing electronic Leica TCRA 1203 and TS-16i robotic total stations with ranging prisms, in conjunction with survey control previously established by this office during the performance of Survey No.'s 21775, 21810, 21437, 20613, 20123 & 19999 on file in the office of the Jackson County Surveyor, I survey and monument the parcel as shown. The subject property and adjoiners lie within Block 3, City of Ashland, based on City Surveyor M.L. McCall's Map of Ashland compiled between 1879 and 1888, with the 1888 map being adopted by the Ashland City Council on November 5, 1888 as the "Official Map of Ashland" and filed for record on March 26, 1892 in Volume 1, Page 81 of the Plat Records in Jackson County. There have been no filed surveys of record in this portion of Block 3 that affect this survey since the original plat almost 140 years ago. With Block 3 being among the first blocks created in town, many of the tracts in the current deed descriptions are still referred to by the original owner named tracts only found on the 1879 & 1883 maps. The subject property deed includes 12 different tracts, and within each of these are also calls to additional tracts. The construction and resolution of deed conflicts, inaccuracies, gores and hiatus encountered in this survey were challenging, but despite the former, when said and

## PROCEDURE: (continued)

done, the ancient record data fit surprising well against the above referenced record surveys by this office. Original monuments have been long lost for the centerline intersections of North Main Street with Water Street and along East Main Street between the Plaza and Second Street. I determine the right of way between Helman and Water Street by prolonging the bearing between reference monuments recovered for the centerline intersections of North Main Street with Helman, Church and Granite Streets to an angle point determined by the centerline intersection of the 57.0 foot wide right of way between Block 1 and Block 3 per the Ashland 1879 map. I project the bearing of Water Street southwesterly to intersect North Main Street based on Survey No.'s 19999 & 21775. To determine the centerline angle point intersection of North Main Street with East Main Street to the intersection with Oak Street, I calculate a perpendicular offset of 30 feet from the original right of way width prior to a 1904 street dedication per Volume 50, Page 272, Deed Records, as determined by Survey No. 21437. Oak Street right of way was previously determined by Survey No.'s 19206, 19999 & 21775. Lithia Way was determined by O.S.H.D. deed record data from Volume 423, Page 157 and monuments recovered by Survey No. 21775. The right of way for the "O.S.H.D. Relocated Line thru Block 3, City of Ashland, Pacific Highway" dated August, 1941, Drwg 68-1-20 was determined by utilizing said map and deed record data from Volume 235, Page 358 based on holding record data for Station 8+20.14 being O.S.H.D. record 31.87 feet along the westerly line of Oak Street from the southeast corner of Lot 10, Block 3 and it's orientation measured to Station 4+37.53, 30.00 feet left which bears southeasterly, 1.21 feet from the intersection of the southeasterly line of Water Street with the northwesterly line of North Main Street, which fit within 0.08 feet from the deed record. The subject tract resultant parcels were determined by utilizing deed record, plat record and survey record data as denoted hereon. I survey and monument the property boundaries as shown.

**BASIS OF BEARING:** The Basis of Bearing for this survey is the centerline of Oak Street, having a record plat bearing of North 23°11'39" East, as referenced on Survey No. 21775, on file in the office of the Jackson County Surveyor.

**DATE:** April 4, 2019

PREPARED BY: Shawn Kampmann,
Professional Land Surveyor

POLARIS LAND SUDVEYING LLC

POLARIS LAND SURVEYING, LLC P.O. Box 459

Ashland, Oregon 97520

(541) 482-5009



Renewal Date: 6/30/2019